



Commercial Fire Protection

VALVES, VALVE COMPONENTS, AND TRIM

<u>Device</u>	<u>Frequency</u>
<i>Inspection</i>	
<u>Control Valves</u>	
Sealed	Weekly
Locked	Monthly
Tamper switches	Monthly
<u>Alarm Valves</u>	
Exterior	Monthly
Interior	5 years
Strainers, filters, orifices	5 years
<u>Preaction / Deluge Valves</u>	
Enclosure (during cold weather)	Daily / weekly
Exterior	Monthly
Interior	Annually / 5 years
Strainers, filters, orifices	5 years
<u>Dry Pipe Valves / Quick-Opening Devices</u>	
Enclosure (during cold weather)	Daily / weekly
Exterior	Monthly
Interior	Annually
Strainers, filters, orifices	5 years
<u>Pressure Reducing and Relief Valves</u>	
Sprinkler systems	Annually
Hose connections	Annually
Hose racks	Annually
Fire pumps	
Casing relief valves	Weekly
Pressure relief valves	Weekly
<u>Backflow Prevention Assemblies</u>	
Reduced pressure	Weekly / monthly
Reduced pressure detectors	Weekly / monthly
<u>Fire Department Connections</u>	
	Quarterly
<i>Test</i>	
<u>Main Drains</u>	
	Annually / quarterly
<u>Waterflow Alarms</u>	
	Quarterly / semiannually
<u>Control Valves</u>	
Position	Annually
<u>Operation</u>	Annually
Supervisory	Semiannually



Commercial Fire Protection

Preaction / Deluge Valves

Priming water	Quarterly
Low air pressure alarms	Quarterly
Full flow	Annually

Dry Pipe Valves / Quick-Opening Devices

Priming water	Quarterly
Low air pressure alarm	Quarterly
Quick-opening devices	Quarterly
Trip test	Annually
Full flow trip test	5 years

Pressure Reducing and Relief Valves

Sprinkler systems	5 years
Circulation relief	Annually
Pressure relief valves	Annually
Hose connections	5 years
Hose racks	5 years

<u>Backflow Prevention Assemblies</u>	Annually
---------------------------------------	----------

Maintenance

<u>Central Valves</u>	Annually
-----------------------	----------

<u>Preaction / Deluge Valves</u>	Annually
----------------------------------	----------

<u>Dry Pipe Valves / Quick-Opening Devices</u>	Annually
--	----------